

<b>Graphics Processing</b>	Radeon™ RX 5700 XT
<b>Core Clock</b>	Boost Clock* : up to 2010 MHz (Reference card: 1905 MHz) Game Clock* : up to 1905 MHz (Reference card: 1755 MHz) Base Clock : 1770 MHz (Reference card: 1605 MHz)
<b>Stream Processors</b>	2560
<b>Process Technology</b>	7 nm
<b>Memory Clock</b>	14000 MHz
<b>Memory Size</b>	8 GB
<b>Memory Type</b>	GDDR6
<b>Memory Bus</b>	256 bit
<b>Memory Bandwidth (GB/sec)</b>	448 GB/s
<b>Card Bus</b>	PCI-E 4.0 x 16
<b>Digital max resolution</b>	7680x4320
<b>Multi-view</b>	6
<b>Card size</b>	L=290 W=123 H=58 mm

<b>PCB Form</b>	ATX
<b>DirectX</b>	12
<b>OpenGL</b>	4.6
<b>Recommended PSU</b>	600W
<b>Power Connectors</b>	8 Pin*2
<b>Output</b>	DisplayPort 1.4 *3 HDMI 2.0b *1 HDMI 1.4b*2
<b>Accessories</b>	1. AORUS metal sticker 2. Quick guide 3. 4-year warranty registration
<b>Note</b>	<p>* “Boost Clock” is the maximum frequency achievable on the GPU running a bursty workload. Boost clock achievability, frequency, and sustainability will vary based on several factors, including but not limited to: thermal conditions and variation in applications and workloads.</p> <p>* “Game Clock” is the expected GPU clock when running typical gaming applications, set to typical TGP (Total Graphics Power). Actual individual game clock results may vary.</p>